




For reference only. See data sheet for the detailed specifications.

Technical Specification



EIA WR	WR650
Frequency Range(GHz)	1.12 – 1.70
Insertion Loss(dB)	0.1 Max.
VSWR	1.30:1 Max.
Flange	FDP14(UDR14)
Material	Al
Size(mm)	290.4 x 290.4 x 138.1
Net Weight(Kg)	1.89 Around

Outline Drawing (Size: mm)



AINFO Inc.

China(Beijing):

China(Chengdu):

USA :

Tel: (+86) 10-6266-7326,

Tel: (+86) 28-8519-2786,

Tel: (+1) 949-639-9688,

Page 1 of 3

(+86) 10-6266-7327

(+86) 28-8519-3044

(+1) 949-639-9608

Fax: (+86) 10-6266-7379


Fax: (+86) 28-8519-3068

Fax: (+1) 949-639-9670

Website: www.ainfoinc.com

Email: sales@ainfoinc.com

Flange Drawing (Size: mm)



FDP14

AINFO Inc.

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,


Page 2 of 3

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

Insertion Loss



VSWR

