


For reference only. See data sheet for the detailed specifications.

Technical Specification




EIA WR	WR34
Frequency Range (GHz)	22.0 - 33.0
Twist Type	Right-Handed
Twist Degree(deg)	90
Insertion Loss (dB)	0.1 Max.
VSWR	1.10:1 Max.
Flange	FBP260(UBR260)
Material	Cu
Size(mm)	55 x 21.1 x 21.1
Net Weight(Kg)	0.04 Around

Outline Drawing (Size: mm)



Flange Drawing (Size: mm)



FBP260

AINFO Inc.

Page 2 of 3

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA: Tel: (+1) 949-639-9688,


(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

I.L.



VSWR



AINFO Inc.

Page 3 of 3

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA: Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com