


For reference only. See data sheet for the detailed specifications.

Technical Specification



Frequency Range(GHz)	6.21 – 8.51
EIA WC	WC128
Circular WG Size	32.537mm / 1.28"
Gain(dBi)	15 Typ.
Polarization	Linear and Circular
3dB Beamwidth(deg)	E Plane: 29 Typ.
	H Plane: 34 Typ.
Cross Pol. Isolation(dB)	45 Typ.
VSWR	1.25:1 Max.
Output	FBP84-M
Material	Al
Finish	Chemical Conversion Coating, Gray Paint
Size(mm)	83.3 x 83.3 x 119.4
Net Weight(Kg)	0.18 Around

Outline Drawing (Size: mm)



AINFO Inc.

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,


(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Page 1 of 5

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Flange Drawing (Size: mm)



FBP84-M

AINFO Inc.

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,



Page 2 of 5

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results (Including circular to rectangular transition)


1. Gain & Antenna Factor



2. Cross Polarization Isolation



3. VSWR



4. Pattern

